

THE UNITED STATES OF AMERICA

TO AND TO WHOM THESE PRESENTS SHALL COME:

Seminis Aegetable Seeds, Inc.

MICCOS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE SUGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR ORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT TO BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

TOMATO

'CHI1504001'

In Vestimonn Wherest, I have hereunto set my hand and caused the seal of the Hunt Unriety Protection Office to be affixed at the City of Washington, D.C. this fifteenth day of April, in the year two thousand and eight.

Colmand V: Schafen

retary of Agriculture

Attest.

Q2m3

Commissioner Plant Variety Protection Office Saricultural Marketina Service

REPRODUCE LOCALLY. Include form number and date on	n all reproduct	ions	<u> </u>	Form Approved - OMB No. 0581-0055		
U.S. DEPARTMENT OF AGRICULTURAL MARK SCIENCE AND TECHNOLOGY - PLANT	KETING SERV	ICE	The following statements are made in a the Paperwork Reduction Act (PRA) o	accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and f 1995.		
APPLICATION FOR PLANT VARIET (Instructions and information collection	Y PROTECTIO	ON CERTIFICATE		rmine if a plant variety protection certificate is to be issued onfidential until certificate is issued (7 U.S.C. 2426).		
, NAME OF OWNER			2. TEMPORARY DESIGNATION OR EXPERIMENTAL NAME	3. VARIETY NAME		
Seminis Vegetable Seeds, Inc.			Secure and Applicated Later Salestation	CHI1504001		
ADDRESS (Street and No., or R.F.D. No., City, State	, and ZIP Cod	e, and Country)	5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY		
2700 Camino del Sol		•	(805) 647-1572	PVPO NUMBER		
Oxnard CA 93030-7967			6. FAX (include area code)	tonnennoen		
			(805) 918-2545	200600239 FILING DATE		
IF THE OWNER NAMED IS NOT A "PERSON", GIVE ORGANIZATION (corporation, partnership, association	FORM OF	8. IF INCORPORATED, GIVE STATE OF INCORPORATION	9. DATE OF INCORPORATION	Aug 3 2006		
Corporation		California	4 June 1962	Aug 3, 2006		
0. NAME AND ADDRESS OF OWNER REPRESENTAT	TIVE(S) TO SE	RVE IN THIS APPLICATION. (First p	person listed will receive all papers)	F FILING AND EXAMINATION FEES:		
Carol Miller	Mar	cel Bruins (marcel.bru	ins@seminis.com)	1 1 - 1		
Seminis Vegetable Seeds, Inc.	Sen	ninis Vegetable Seeds,		C CERTIFICATION FEE:		
37437 State Hwy 16		. Box 97, NL-6700 AB	and a	1 , 768.00		
Woodland CA 95695	vvaç	geningen, The Netherla	inas	E DATE March 14,2008		
	. FAX (Include		13. E-MAIL			
· · · · · · · · · · · · · · · · · · ·	(530) 66			er@seminis.com		
A. CROPKIND (Common Name) 16. Tomato		ME (Botanical)	1	AIN ANY TRANSGENES? (OPTIONAL)		
		ACEAE	YES NO IF SO, PLEASE GIVE THE A	ASSIGNED USDA-APHIS REFERENCE NUMBER FOR THE		
Lycopersicon esculentum	YES	NO	APPROVED PETITION TO D COMMERICALIZATION.	PEREGULATE THE GENETICALLY MODIFIED PLANT FOR		
CHECK APPROPRIATE BOX FOR EACH ATTACHN (Follow instructions on reverse)	MENT SUBMIT	TED	20. DOES THE OWNER SPECIF	Y THAT SEED OF THIS VARIETY BE SOLD AS A CLASS Section 83(a) of the Plant Variety Protection Act)		
a. Y Exhibit A. Origin and Breeding History of the	e Variety		YES (If "yes", answer	items 21 and 22 below) ✓ NO (li "no", go to item 23)		
b. ✓ Exhibit B. Statement of Distinctness			NUMBER OF CLASSES?	Y THAT SEED OF THIS VARIETY BE LIMITED AS TO		
c. ✓ Exhibit C. Objective Description of Variety			☐ YES ☐ NO			
d Exhibit D. Additional Description of the Vari				IF YES, WHICH CLASSES? ☐ FOUNDATION ☐ REGISTERED ☐ CERTIFIED 22. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?		
e. Y Exhibit E. Statement of the Basis of the Own	mer's Ownersh	ip .	NUMBER OF GENERATIONS			
f. Exhibit F. Declaration Regarding Deposit	,		□ YES □ NO			
youcher Sample (3,000 viable untreated se that tissue culture will be deposited and mail	eeds or, for tub intained in an a	er propagated varieties, verification approved public repository)	IF YES, SPECIFY THE NUMBER	BER 1,2,3, etc. FOR EACH CLASS.		
g. Filing and Examination Fee (\$4,382), made States" (Mail to the Plant Variety Protection	payable to "Tr Office)	easurer of the United		EGISTERED CERTIFIED ceessary, please use the space indicated on the reverse.)		
B. HAS THE VARIETY (INCLUDING ANY HARVESTED FROM THIS VARIETY BEEN SOLD, DISPOSED OF, OTHER COUNTRIES?	MATERIAL) (TRANSFERR	OR A HYBRID PRODUCED ED, OR USED IN THE U.S. OR	24. IS THE VARIETY OR ANY CO INTELLECTUAL PROPERTY	OMPONENT OF THE VARIETY PROTECTED BY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)?		
✓ YES NO			i√ YES NO			
IF YES, YOU MUST PROVIDE THE DATE OF FIRST FOR EACH COUNTRY AND THE CIRCUMSTANCE	T SALE, DISP S. (Please us	OSITION, TRANSFER, OR USE e space indicated on reverse.)		ITRY, DATE OF FILING OR ISSUANCE AND ASSIGNED pase use space indicated on reverse.)		
The owners declare that a viable sample of basic set for a tuber propagated vanety a tissue culture will be	ed of the varie e deposited in	ty has been furnished with application a public repository and maintained fo	n and will be replenished upon request in a or the duration of the certificate.	accordance with such regulations as may be applicable, or		
The undersigned owner(s) is(are) the owner of this s entitled to protection under the provisions of Section 4	exually reprod 42 of the Plant	uced or tuber propagated plant variet Variety Protection Act.	ty, and believe(s) that the variety is new, d	listinct, uniform, and stable as required in Section 42, and is		
Owner(s) is (are) informed that false representation i	herein can jeo	pardize protection and result in penal	tles.			
IGNATURE OF OWNER ()	Yell	ev	SIGNATURE OF OWNER			
AME (Please print or type) Carol L. Miller			NAME (Please print or type)			
APACITY OR TITLE	DATE		CAPACITY OR TITLE	DATE		

(See reverse for instructions and information collection burden statement)

GENERAL INSTRUCTIONS: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E, F; (3) for a tuber reproduced variety, verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; and (4) payment by credit card or check drawn on a U.S. bank for \$4,382 (\$518 filing fee and \$3,864 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice). NEW: With the application for a seed reproduced variety or by direct deposit soon after filing, the applicant must provide at least 3,000 viable untreated seeds of the variety per se, and for a hybrid variety at least 3,000 untreated seeds of each line necessary to reproduce the variety. Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All Items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initiated and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a payment by credit card or check payable to "Treasurer of the United States" in the amount of \$768 for Issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

Plant Variety Protection Office

Telephone: (301) 504-5518

FAX: (301) 504-5291

General E-mail: PVPOmail@usda.gov

Homepage: http://www.ams.usda.gov/science/pvpo/PVPindex.htm

200600259

SPECIFIC INSTRUCTIONS:

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that the permanent name of the application variety (even if it is a parental, inbred line) has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, 10301 Baltimore Avenue, Suite 401 NAL Building, Beltsville, MD 20705. Telephone: (301) 504-5682 http://www.ams.usda.gov/lsg/seed.htm.

ITEM

19a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach replicated statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.

19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.

- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

N/A

23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Sale of hybrid 'Exxtasy': NL 01-Oct-04; GB 02/01/05; DK 01-Nov-05; DE 01-Dec-05; FI 01-Jan-06.

24. CONTINUED FROM FROM (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

EU: PBR Filed 19-Nov-04, Application #2004/2278

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

Exhibit A

Origin and breeding history of Tomato, CHI1504001

The tomato parent line CHI1504001 was developed from the basic material of BS 01248067. The variety BS 01248067 (aka: SVR 01248067) was a trial hybrid of Bruinsma (which later became part of Seminis Vegetable Seeds, Inc.) and was available for commercial purposes in the European glasshouse tomato market during the years of 1994-1995. Due to limited interest in the variety, BS 01248067 was discontinued shortly thereafter. The origin of this line can be traced back to a combination of varieties tried and later sold in the market as DRS 3423 (of De Ruiter Seeds), E192 (of Enza Zaden), and inbred breeding lines from the program of Bruinsma/Seminis (which were not available for commercial purposes). This information reflects all that we know pertaining to the pedigree of this line; no additional records or information are available.

CHI1504001 was developed using the pedigree selection method. During the development process, single plant selections were made to fix disease claims and ensure adaptation to a heated greenhouse climate and growing conditions. The orange color, in combination with disease claims and well tasting fruits, makes this a unique tomato in its class.

Spring 1994	Hybrid SVR 01248067 planted and self pollinated fruits are harvested.
Autumn 1994	Planted F2, several individual plants selected for increased brix.
Spring 1995	Planted F3, several individual plants selected for regular clusters.
Autumn 1995	Planted F4, several individual plants selected for increased brix.
Spring 1997	Planted F5, several individual plants selected for fix ToMV, Vert, LM.
Spring 1998	Planted F6, several individual plants selected for fix plant vigor.
Autumn 1998	Planted F7, several individual plants selected for fix Fusarium race 1 and 2.
Spring 1999	Planted F8, several individual plants selected for Fusarium crown and root rot (FCRR) resistant lines.
Spring 2002	Planted F9, line with confirmed (FCRR) bulk harvest of self pollinated fruits.

Selection criteria for the development of CHI1504001 was aimed to achieve a line with good commercial properties, full disease resistance pattern, and a Brix measurement indicative of good eating quality. Disease resistance claims were verified by the Seminis phytopathology department in Wageningen, The Netherlands and confirmed in official NAK tests in The Netherlands.

Observations made during the 2004 and 2005 growing seasons, when this line was used as a parent in hybrid seed production, confirmed that 'CHI1504001' was uniform and stable within commercially acceptable limits. As is true with other tomato inbred lines, a very small percentage of variants can occur within commercially acceptable limits for many characteristics during the course of repeated multiplication. No genetic variants are known to occur and, to date, this inbred line has been observed to be completely uniform and stable for three generations, under heated greenhouse conditions.

Statement of Distinctness for Tomato, CHI1504001

'CHI1504001' is a unique orange-colored cocktail tomato inbred. The orange color in a cocktail fruit is not very common in tomatoes and little comparison material in the heated greenhouse segment is available.

To our knowledge, the variety which most closely resembles 'CHI1504001' is 'Aranca' (Enza Zaden).

The characteristic that most readily distinguishes 'CHI1504001' from 'Aranca' includes, but may not be limited to, the mature fruit color. At full maturity, the fruit of 'CHI1504001' are orange (RHS N25A), whereas the full ripe fruit of 'Aranca' are red (RHS N45A). See photos 1 and 2 below.

Photo 1: Mature Fruit Color: 'CHI1504001' is orange (RHS N25A)





Photo 2: Mature Fruit Color: 'Aranca' is red (RHS N45A)



REPRODUCE LOCALLY. Include form number and date on all reproductions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 2.2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY **PLANT VARIETY PROTECTION OFFICE** BELTSVILLE, MD 20705

EXHIBIT C

OBJECTIVE DESCRIPTION OF VARIETY

	TOMA	TO (Lycopersico	n esculentu	ım Mill.)		
NAME OF APPLICANT (S)	темро	RARY OR EXPERIMENTAL DESIGN	ATION	VARIETY NAME		
Seminis Vegetable Seed	is, Inc.	•		CHI1504001'	dam 1	
ADDRESS (Street and No. or RD No., C	ity, State, Zip Code, and Country)			grijar grige kyn i stabije		
2700 Camino del Sol Oxnard, CA 93030			. 1	PVPO NUMBER	50025	n
				2000)	3
Choose responses for the follow	ing characters which best fit you	ur variety. Complete this form:	as fully as possible t	for best characterization	n of the variety. When	a single
		-	, T			
quantitative value is requested (e						
81, etc.). The applicant variety	should be compared with at least	st one well-known standard che	ck variety of the sar	ne type (see list of reco	ommended check variet	ies below), and
grown in the same trials. The ch	aracters on this form should be	described from plants grown ur	nder normal condition	ons of culture for the v	ariety. Indicated by che	ck whether trial
data are from green house	field planting. Trials direct	et-seeded of transplanted is	ar unstale	ed- Give location:	s and dates of seeding a	nd transplanting
				ou Or our	,	
here: Honselersdijk, Net	nerlands - Spring 2005				6.5 4.	
						
			1, 14			
COMPARISONS SHOULD BE THE CHECK IN BOXES WHE					SSIBLE, ENTER THI	E NUMBER OF
1 = Ace 55 VF	7 = Homestead 24	13 = Red Rock	19 = VF 1			
2 = Campbell 37	8 = Marglobe	14 = Roma VF	20 = US 2	8		
3 = Chico III	9 = Murietta	15 = Rutgers	21 = VF 14	45 B 7879	Seminis)	
4 = Flora Dada 5 = Florida MH-1	10 = New Yorker 11 = Ohio MR-13	16 = Sunray 17 = Tropic	22 = Other	. (Opco)/		ala N
6 = Heinz 1350	12 = Red Cherry Large	тт – торю		v. Am in	ca (Enza Z	TWC
1. SEEDLING			- ·		£	3-4-08 1eter
Anthocyanin in hynoco	tyl of 2 – 15 cm seedling: 1 =	= Aheant 2 = Present	Habit	of 3 – 4 week old se	eedling: 1 = Normal 2	•
	to an occaming.	Thousand I will too city				
2. MATURE PLANT (at maxir	num vegetative developmen	t)	apport has a reason variety.			
	Indefinite	- /	7 44	' <u>:</u>		
Civi Height _t	-nuetinite		garbonijans, svengge gar		•	
Growth: 1 = Indetermin	ate 2 = Determinate		Mary Mary			
2 Form: 1 = Lax, open 2	e Normal 3 = Compact 4	= Dwarf 5 = Brachytic				
2 Size of canopy (compa	red to others of similar type):	: 1 = Small 2 = Medium 3 :	= Large		•	
7	ecumbent) 2 = Semi-erect					
nabit. i = Sprawling (0	zwinneni) z = Semi-efect	o – Erect (Dwarr Champion	· · · · · · · · · · · · · · · · · · ·			

3.	ST	EM					
-	<u>2</u>	Branching: 1 = Sparse ('Brehm's Solid Red', 'Fireb	all') 2 = Intermediate ('Westover') 3 = Profus	se ('UC 82	2')		
: -		Branching at cotyledonary or first leafy node: 1 = P	resent 2 = Absent	tions Annual Inc.		e Na	
	<u>3</u>	No. of nodes between first inflorescence: $1 = 1-4$	2 = 4-7 3 = 7-10 4 = 10 or more			i e	
٠.	<u>3</u>	No. of nodes between early $(1^{st} - 2^{nd}, 2^{nd} - 3^{rd})$ infl	prescences. 3 No. of	of nodes b	etween later deve	loping inflorescend	ces.
	2	Pubescence on younger stems: 1 = Smooth (no los					
4.	LE	AF (mature leaf beneath the 3 rd inflorescence)					,
	Í	Type: 1 = Tomato 2 = Potato ('Trip-L-Crop')	Morphology (choose illustrat	tion at the	end of this form to	nat is most similar)
	2	Margins of major leaflets: 1 = Nearly entire 2 = Sh					
	2	Marginal rolling or wiltiness: 1 = Absent 2 = Slight			•	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	3	Onset of leaflet rolling: 1 = Early-season 2 = Mid-s	_		i	e grande de la companya	
	2	Surface of major leaflets: 1 = Smooth 2 = Rugose					4 N. 411
	2	Pubescence: 1 = Smooth (no long hairs) 2 = Norm	•			er to be a	7 - 4 43 - 3
			2.				
5.	INF	ORESCENCE (make observations on 3 rd inflorescent				,	
	<u> </u>	Type: 1 = Simple 2 = Forked (2 major axes) 3 = 0	Compound (much branched)			e e	1.5
٠.٠	4	Number of flowers in inflorescence. Average					
	<u></u>	Leafy or "running" inflorescences: 1 = Absent 2 = 0	Occasional 3 = Frequent				
6.	FLC	WER			44		
	<u>i</u>	Calyx: 1 = Normal, lobes awi-shaped 2 = Macroca	yx, lobes large, leaflike 3 = Fleshy		e s	1	1.00
	2	Calyx-lobes: 1 = Shorter the corolla 2 = Approx. ed	ualling corolla 3 = Distinctly longer than coro	oila			
	Ĺ	Corolla color: 1 = Yellow 2 = Old gold 3 = White of	er tan			3.	
	<u>1</u>	Style pubescence: 1 = Absent 2 = Sparse 3 = De	nse				
	Ì	Anthers: 1 = All fused into tube 2 = Separateing in	o 2 or more groups at anthesis		**		.,
		Fasciation (1 st flower of 2^{nd} or 3^{nd} inflorescence): 1 =		ently pres	sent		***
		to the second se					
7.	O	T (3 rd fruit of 3nd or 3 rd cluster) For the first 5 chara				at the end of this	form.
•	<u> </u>	area a abara area a a a a a a a a a a a a a a a a	pe of transverse section	- -	of stem end		
	i jug L		pe of blossom end	_ Shape o	of pistil scar		
¥.5	***	Abscission layer: 1 = Present (pedicellate) 2 = Abs	•				
•	<u></u>	Point of detachment of fruit at harvest: 1 = At pedice	•			3-4-08	COAREZ bouc
-	<u>v</u> .	MM length of dedice! (from joint to calyx attachr MM length of mature fruit (stem axis)		2 2	LEGICX)	Per	COAREZ bore
. 1	<u>ረ</u> ። ጎ) ()	MM length, check var. no.	<u> </u>	, Corroay		•
	<u>ا</u> ے ام	MM diameter of fruit at widest point	MM diameter, check var. no.	<u> </u>	•		
-	<u>U</u> .	G weight of mature fruit	U K & G weight, check var. no.	<u> </u>	•		
-	3	o. of locules: 1 = Two 2 = Three and four 3 = Five					
-	3	ruit surface: 1 = Smooth 2 = Slight ly rough 3 = N	Moderately rough or ribbed		•	· · · · · · · · · · · · · · · · · · ·	÷
-	<u> </u>	ruit base color (mature-green stage): 1 = Light green ('Lanai', 'VF 145-F5') 2 = Light gra	y-green 3 = Apple or medium green ('Heinz	1439 VF')	4 = Yellow gree	n 5 = Dark green	1
4	<u>ጋ</u>	ruit pattem (mature-green stage): 1 = Uniform gree	n 2 = Green-shouldered 3 = Radial stripes of	on sides o	of fruit		
				····			

7.	FRUIT (continued)			a we	
-	Shoulder color if differen	t from base: 1 = Dark green 2 =	Grey green 3 = Yellow green		
٠ <u>د</u>	$\frac{3}{2}$ Fruit color, full-ripe: 1 = \	White 2 = Yellow 3 = Orange	4 = Pink 5 = Red 6 = Brownish 7	r = Greenish 8 = Other (specify)	_
-	Flesh color, full-ripe: 1 =	Yellow 2 = Pink 3 = Red/Crims	son 4 = Orange 5 = Other (specify	<i>)</i>	
_	Flesh color: 1 = Uniform	2 = With lighter and darker area	s in walls		
_	Locular gel color of table	-ripe fruit: 1 = Green 2 = Yellow	3 = Red		
	$\frac{2}{\lambda}$ Ripening: 1 = Blossom-to	o-stem end 2 = Uniform	¥	was the same of th	
. <u>1</u> 2	Ripening: 1 = Inside out	2 = Uniformly 3 = Outside in		en en grande de la companya de la c	
	Stem scar size: 1 = Smal	l ('Roma') 2 = Medium ('Rutgers	s') 3 = Large		
_	Core: 1 = Coreless (abse	nt or smaller than 6x6 MM) 2 =	Present		
4	Epidermis color: 1 = Colo	rless 2 = Yellow			
_	Epidermis: 1 = Normal 2	! = Easy-peel			
<u>.</u>	<u>λ</u> Epidermis texture: 1 ≃ Te	nder 2 = Average 3 = Tough			
_1	Thickness of pericarp	1	Thickness of pericarp. Check var. n	10. <u>22</u> (SPICY)	
<u> 2</u>	Anthocyanin in hypocotyl	of 2 - 15 mc seedling: 1 = Absen		abit of 3 - 4 week old seedling: 1 = Normal 2 = Compact	
0 5	ESISTANCE TO EDINT DIS	OPDED (Use sede 0 - Uslasius			1.
Λ	Blossom end rot	2 Catface	1 = Susceptible 2 = Resistant)		
2		<u> </u>	Fruit pox	Other (specify) N/A	
0	Blotchy ripening	人 Cracking, concentric	Gold fleck	Other (specify) N/A	
	Bursting	Cracking, radial	<u>O</u> Graywall		
upon	ISEASE AND PEST REACT disease resistance, trial data in check varieties grown in th	should be appended. These sh	= Susceptible 2 = Resistant) NOT ould specify the method of testing, the specific transfer of the strength of	E If claim of novelty is based wholly or in substantial par the reaction of the applicatoni variety, and reaction of wel	t I-
Vira	l Diseases:	en e			
0	_ Cucumber mosaic	Z Tobacco mosaic, Race 0			
\mathcal{L}	Curly top	2 Tobacco mosaic, Race 1	D Tomato spotted wiit		an E
0	Potato-Y virus	প্রতিষ্ঠত mosaic, Race 2	<u>D</u> Tomato yellows		: :
0	Blotchy ripening	Cracking, concentric	C Gold fleck	til en	
· <u>-</u> -	Other virus (specify) N	A			
Bact	eriąt Diseases:				
21 <u>0</u>	Bacterial canker (Coryneba	acterium miciganense)	Bacterial spot (Xanthomonas	s vesicatorium)	
0	Bacterial soft rot (Erwinia c	orotovora)	O Bacterial wilt (Pseudomonas	solanacearum)	
0	Bacterial speck (Pseudomo	onas tomato)	Other bacterial disease (spec	cify) N/A	
Fung	pat Diseases:				:
Ò	Anthracnose (Colletotrichui	m spp.)		orium fulvum)	
0	Brown root rot or corky root	(Pyrenochaeta lycopersici)	O Leaf mold, Race 2		
0	Collar rot or stem canker (A	llternaria solani)	Leaf mold, Race 3	•	
<u>0</u>	Early blight defoliation (Alte	maria solani)	2 Leaf mold, other races (specif	M A+B+C+D+E	
<u>2</u>	Fusarium wilt, Race 1 (F. o)		•		•
2	1900	(ysporum f. lycopersici)	Nailhead spot (Alternaria toma	alo)	
	Fusarium wilt, Race 2	kysporum f. lycopersici)	Nailhead spot (Alternaria toma O Seporia leafspot (S. lycopersia		
<u>0</u>	Fusarium wilt, Race 2 Fusarium wilt, Race 3	kysporum f. lycopersici)		ici)	


9. DISEASE AND PEST REACTION (continued)			·		
Fungal Diseases:	ų.				
O Gray leaf spot (Stemphylium spp.)	2 Vertici	llium wilt, Race 1 (V. albo-	atrum)		
$\underline{\mathcal{O}}$ Late blight, Race 0 (<i>Phytophthora infestans</i>)		llium wilt Race 2		·	
$\underline{\mathcal{O}}$ Late blight, Race 1	2 Other	fungal disease (specify)	Fusarium DX	ysporum f.sp. persici	
Insects and Pests:		* 1	Radicis Tyco	persici	
$\underline{\it O}$ Colorado potato beetle (<i>Leptinotarsa decemline</i>	m	o hornworm (<i>Manduca qui</i>	•		
$\underline{\it C}$ Southern root knot nematode (<i>Meloidogyne inc</i>	ognita) <u></u> Tomat	o fruitworm (Heliothis zea)	i de la companya de l		
$\underline{\it O}$ Spider mites (<i>Tetranychus</i> spp.)	\underline{igcap} Whitef	y (Trialeurodes vaporarior	rum)		
$\underline{\mathcal{O}}$ Sugar beet army worm (Spodoptera exigual)	Other	(specify) N/A		· · · · · · · · · · · · · · · · · · ·	
Pollutants:				`	
Ozone Ozone	Other (specify) N/A		·	
CHEMISTRY AND COMPOSITION OF FULL-RIPI Bull. 27-L. Please specify test methods or give a r known check variety of similar type grown in the sa	eference to methods use	d. Fill in table below with v	alues for the new variety a		
	Variety	SPICY			
Н					
Titratable acidity, as % citric		·			
Total solids (dry matter, seeds and skin removed)					
Soluble solids as ^o Brix					
PHENOLOGY Express length of developmental strused, indicate the base temperature used in their of for at least one check variety; identify checks by name to be a second control of the control of t	alculatoin hear°C.	See paper by Warnock u	ing degree days), in degree nder "References" for meth	es Celsius. If heat units are nod. Give comparative data	_
	Application	Check Variety	Check Variety	Check Variety	
	Variety	SPICY	Avence	· · · · · · · · · · · · · · · · · · ·	
Seeding to 50% flow (1 open on 50% of plants)	49 DAS	51 DAS	49 DAS		
Seed to once over harvest (if applicable)					
Fruiting season: 1 = Long ('Marglobe) 2 = Medi Relative maturity in areas tested: 1 = Early 2 = (If relative ma	Medium early 3 = Medi	um 4 = Medium late 5 =		PAR COLLAR	۴
12. ADAPTATION If more that one category applies, li	2 = Fresh market 3 = V	Whole-pack canning 4 = C	Concentrated products		
Machine harvest: 1 = Not adapted 2 = Adapted	حد				
Regions to which adaptation has be 1 = Northeast 2 = Mid Atlar 6 = South-central 7 = Intermou 10 = California: Coastal Areas 11 = California	ntain West 8 = Nor	thwest 9 =	Fiorida	5 = Great Plains nd Upper San Joaquin Valley	
					-

ILLUSTRATIONS OF TOMATO LEAF AND FRUIT CHARACTERISTICS

4. LEAF

Morphology:
















7. FRUIT

Typical fruit shape:






















Shape of transverse section:












Shape of stem end:



Shape of blossom end:









Shape of pistil scar:









REFERENCES

- Anonymous, 1976. All About Tomatoes. Ortho Books, Chevron Chemical Co., San Francisco. In three volumes: Midwest/Northeast Edition, West Edition, and South Edition.
- Ware, G.W. & J.P. McCollum, 1968. Producing Vegetable Crops. The Interstate Printer & Publishers, Inc., Danville, Illinois. Chapter 30, pp. 451-473, "Tomatoes".
- Warnock, S.J. 1978. Using Tomato Heat Units. Leaflet No. 6, Campbell Institue for Agricultural Research, Camden, NJ. 10 p.
- Webb, R.E., T.H. Barksdale, & A.K. Stoner, 1973. "Tomatoes", pp. 344-361, in: Nelson, R.R. (Ed.), Breeding Plants for Disease Resistance. Pennsylvania State University Press, University Park.
- Young, P.A. & J.W. MacArthur, 1947. Horticultural characters of tomatoes. Bull. Texas Agric. Exper. Station No. 698..

REPRODUCE LOCALLY. Include form number and edition date on all	reproductions. F	ORM APPROVED - OMB No. 0581-0058
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	Application is required in order to detect certificate is to be issued (7 U.S.C. 24	21). The information is held
EXHIBIT E	confidential until the certificate is issue	ed (7 U.S.C. 2426).
STATEMENT OF THE BASIS OF OWNERSHIP 1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME
• • • • • • • • • • • • • • • • • • • •	OR EXPERIMENTAL NUMBER	
Seminis Vegetable Seeds, Inc.		CHI1504001
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (Include area code)	6. FAX (Include area code)
2700 Camino del Sol Oxnard CA 93030-7967	(805) 647-1572	(805) 918-2545
	7. PVPO NUMBER	
	2006002	50
8. Does the applicant own all rights to the variety? Mark an "X" in the	e appropriate block. If no, please expl ai	n. YES NO
9. Is the applicant (individual or company) a U.S. national or a U.S. b	ased company? It no, give name of co	untry. YES NO
10. Is the applicant the original owner?	NO If no, please answer one	of the following:
a. If the original rights to variety were owned by individual(s), is (are) the original owner(s) a U.S. Nationa NO If no, give name of count	
	in no, give name or count	•
b. If the original rights to variety were owned by a company(ies),	is (are) the original owner(s) a 11 S. has	ad campany?
YES	NO If no, give name of country	
11. Additional explanation on ownership (Trace ownership from origin	and broader to augrent awars. Hen the so	varoa for outro appea if pandadly
11. Additional explanation on ownership (Trace ownership from origin	iai breeder to current owner. Ose the re	verse for extra space if fleeded).
The variety named in this application was developed by the Seminotherwise stated, all rights to the varieties developed by Seminis Voperation of law. No rights to such invention, discovery or developed	Vegetable Seeds, Inc. are assigned to the	e Company by agreement or by
Employee (Breeder): Arjan van Donk		·
Site Location: Honselersdijk, The Netherlands		
PLEASE NOTE:		
Plant variety protection can only be afforded to the owners (not licens	ees) who meet the following criteria:	
 If the rights to the variety are owned by the original breeder, that penational of a country which affords similar protection to nationals of 	erson must be a U.S. national, national of the U.S. for the same genus and specie	f a UPOV member country, or ss.
If the rights to the variety are owned by the company which employ nationals of a UPOV member country, or owned by nationals of a c genus and species.	red the original breeder(s), the company country which affords similar protection to	must be U.S. based, owned by antionals of the U.S. for the same
3. If the applicant is an owner who is not the original owner, both the o	original owner and the applicant must me	eet one of the above criteria.
The original breeder/owner may be the individual or company who din Act for definitions.	ected the final breeding. See Section 4	I(a)(2) of the Plant Variety Protection
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, a control number. The valid OMB control number for this information collection is 0581-0055. including the time for reviewing the instructions, searching existing data sources, gathering as	The time required to complete this information collect	on is estimated to average 0.1 hour per response.
The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and as marital or family status, political beliefs, parental status, or protected genetic information. (No communication of program information (Braille, targe print, audiotape, etc.) should contact US	ot all prohibited bases apply to all programs.) Person:	with disabilities who require alternative means for

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.

ST-470-E (04-03) designed by the Plant Variety Protection Office using Word 2000

Form Approved OMB NO 0581-0055
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE **SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE** BELTSVILLE, MD 20705

EXHIBIT F

NAME OF OWNER (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	TEMPORARY OR EXPERIMENTAL DESIGNATION
Seminis Vegetable Seeds, Inc.	2700 Camino del Sol	
	Oxnard, CA 93030-7967	VARIETY NAME CHI1504001
NAME OF OWNER REPRESENTATIVE (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	FOR OFFICIAL USE ONLY
Carol L. Miller	37437 State Hwy 16 Woodland CA 95695	PVPO NUMBER 6 0 0 2 5 9

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.